

Author Index

- Abe, T., see Y. Takeda 72 (1994) 257
Abraham, F., see O. Mentre 72 (1994) 293
Agrawal, R.C., see R.K. Gupta 72 (1994) 314
Albinsson, I., B.-E. Mellander and J.R. Stevens, Ion conductivity, electrical relaxation and ion association in poly(propylene glycol) complexed with ammonium triflate 72 (1994) 177
Andersen, T.P., see N. Rao 72 (1994) 334
Andrei, M., L. Marchese, A. Roggero and P. Prosperi, Polymer electrolytes based on cross-linked silylated poly-vinyl-ether and lithium perchlorate 72 (1994) 140
Arbizzani, C., M. Borghini, M. Mastragostino, L. Meneghello and A. Zanelli, Impedance spectroscopy in electrode/electrolyte interface investigations 72 (1994) 115

Baker, R.T., I.S. Metcalfe, P.H. Middleton and B.C.H. Steele, Evaluation of perovskite anodes for the complete oxidation of dry methane in solid oxide fuel cells 72 (1994) 328
Bebelis, S., see C.G. Vayenas 72 (1994) 321
Bernasik, A., M. Rekas, M. Sloma and W. Weppner, Electrical surface versus bulk properties of Fe-doped TiO_2 single crystals 72 (1994) 12
Bieger, T., H. Yugami, N. Nicoloso, J. Maier and R. Waser, Optical absorption relaxation applied to SrTiO_3 and ZrO_2 : An in-situ method to study trapping effects on chemical diffusion 72 (1994) 41
Bohac, P., see A. Orliukas 72 (1994) 35
Bonnet, G., M. Lachkar, J.P. Larpin and J.C. Colson, Organometallic chemical vapor deposition of rare earth oxide thin films. Application for steel protection against high temperature oxidation 72 (1994) 344
Borghini, M., see C. Arbizzani 72 (1994) 115
Bouwmeester, H.J.M., H. Kruidhof and A.J. Burggraaf, Importance of the surface exchange kinetics as rate limiting step in oxygen permeation through mixed-conducting oxides 72 (1994) 185
Breiter, M.W., see G. Fafilek 72 (1994) 305
Brodin, A., see G. Petersen 72 (1994) 165
Burggraaf, A.J., see H.J.M. Bouwmeester 72 (1994) 185

Careem, M.A., see S. Skaarup 72 (1994) 108
Careem, M.A., see M.D. Glasse 72 (1994) 127
Carlsson, A.E., see A. Hoser 72 (1994) 72
Caudron, R., see A. Hoser 72 (1994) 72
Chadwick, A.V., P. Hanmer, L. Coppola, G. Ranieri and M. Terenzi, Ionic environment and transport in polymer electrolytes 72 (1994) 147
Chiodelli, G., see P. Ferloni 72 (1994) 135
Colson, J.C., see G. Bonnet 72 (1994) 344
Coppola, L., see A.V. Chadwick 72 (1994) 147

- Datta, A., see H. Sato 72 (1994) 19
- Deffontaines, B., see O. Mentre 72 (1994) 293
- DiCarlo, J.F., see A.-Q. Pham 72 (1994) 309
- Dransfield, G.P., see I.R. Gibson 72 (1994) 265
- Fafilek, G. and M.W. Breiter, Irreversible conductivity change of Ca β "-alumina at high temperature 72 (1994) 305
- Fagg, D.P., S.M. Fray and J.T.S. Irvine, Reduced magnesium titanate electrodes for solid oxide fuel cells 72 (1994) 235
- Ferloni, P., P. Mustarelli, A.K. Saraswat, G. Chiodelli and A. Magistris, Thermal and transport properties in the polymer electrolyte system $P(EO)_n-Pb(ClO_4)_2$ 72 (1994) 135
- Fray, S.M., see D.P. Fagg 72 (1994) 235
- Frech, R. and W. Huang, Polymer conformation and ionic association in complexes of lithium, sodium and potassium triflate with poly(ethylene oxide) oligomers 72 (1994) 103
- Gauckler, L.J., see A. Orliukas 72 (1994) 35
- Ge, P., see N. Rao 72 (1994) 334
- Gharbage, B., T. Pagnier and A. Hammou, Oxygen reduction at $(La_{0.5}Sr_{0.5})_xMnO_3$ thin films/YSZ interface 72 (1994) 248
- Gibson, I.R., E.E. Lachowski, J.T.S. Irvine and G.P. Dransfield, Sintering of a plasma-derived zirconia powder for solid oxide fuel cell electrolytes 72 (1994) 265
- Glasse, M.D., R.J. Latham, R.G. Linford, W.S. Schlindwein and M.A. Careem, Polymer electrolyte kinetics as a function of formation temperature 72 (1994) 127
- Gunsser, W., see J. ten Eicken 72 (1994) 7
- Gupta, R.K. and R.C. Agrawal, Investigation on transport properties of the silver ion conducting composite electrolyte 72 (1994) 314
- Gür, T.M., see K. Nisancioglu 72 (1994) 199
- Hammou, A., see B. Gharbage 72 (1994) 248
- Hanmer, P., see A.V. Chadwick 72 (1994) 147
- Hasegawa, T., see N. Inoue 72 (1994) 285
- Heider, U., see L. Hoffart 72 (1994) 195
- Hill, C.M., see D. Teeters 72 (1994) 122
- Hoffart, L., U. Heider, L. Jörissen, R.A. Huggins and W. Witschel, Transport properties of materials with the scheelite structure 72 (1994) 195
- Hoser, A., M. Martin, W. Schweika, A.E. Carlsson, R. Caudron and N. Pyka, Diffuse neutron scattering of iron-doped nickel oxide 72 (1994) 72
- Hoshino, S., see T. Sakuma 72 (1994) 94
- Hu, C.P., see D. Li 72 (1994) 172
- Huang, P. and E.A. Secco, Fast Na^+ ionic conductivity in glass and crystalline solids of $Na_2MoO_4-VO_2SO_4$ system 72 (1994) 289
- Huang, W., see R. Frech 72 (1994) 103
- Huang, X.J. and J. Schoonman, NO_x sensing characteristics of $Bi_2Sr_2CaCu_2O_{8+x}$ and $Bi_2Sr_2CuO_{6+x}$ films 72 (1994) 338
- Huggins, R.A., see L. Hoffart 72 (1994) 195
- Huijsmans, J.P.P., see F.P.F. van Berkel 72 (1994) 240

- Ichikawa, T., see Y. Takeda 72 (1994) 257
- Ilett, D.J., see M.S. Islam 72 (1994) 54
- Imanishi, N., see Y. Takeda 72 (1994) 257
- Inoue, N., M. Tagami, Y. Nakamura, Y. Matsumoto, Y. Ogawa and T. Hasegawa, Electrical impedance and ultrasonic velocity of sodium ionic conductor $\text{Na}_{1+2x}\text{Zr}_{2-x}\text{Mg}_x(\text{PO}_4)_3$ 72 (1994) 285
- Ippommatsu, M., see H. Sasaki 72 (1994) 253
- Irvine, J.T.S., see D.P. Fagg 72 (1994) 235
- Irvine, J.T.S., see I.R. Gibson 72 (1994) 265
- Ishizawa, N., see K. Koto 72 (1994) 79
- Islam, M.S. and D.J. Ilett, Defect structure and oxygen migration in the La_2O_3 catalyst 72 (1994) 54
- Ito, S., S. Nariki, K. Kozawa, T. Uchida and N. Yoneda, Crystal structure and mixed alkali effect of $(\text{K}^+, \text{Cs}^+)$ - β -ferrite 72 (1994) 300
- Jacobsen, T., see K. Lade 72 (1994) 218
- Jacobson, A.J., see A.-Q. Pham 72 (1994) 309
- Jörissen, L., see L. Hoffart 72 (1994) 195
- Joshi, A., see Y. Shen 72 (1994) 209
- Kajimura, A., see H. Sasaki 72 (1994) 253
- Kang, T.-K., see S.-J. Kim 72 (1994) 279
- Karavasilis, Ch., see C.G. Vayenas 72 (1994) 321
- Karus, M., see J. ten Eicken 72 (1994) 7
- Kawai, M., see Y. Mizutani 72 (1994) 271
- Kim, K.-H., see S.-J. Kim 72 (1994) 279
- Kim, S.-J., K.-H. Kim, S.-J. Oh, T.-K. Kang and I.-H. Kuk, Microstructural designs and electrical properties of Y_2O_3 -doped ZrO_2 s 72 (1994) 279
- Kishimoto, A., see J. Oi 72 (1994) 204
- Koto, K., K. Suda, N. Ishizawa and H. Maeda, Oxide ion motion in bismuth sesquioxide ($\delta\text{-Bi}_2\text{O}_3$) 72 (1994) 79
- Kozawa, K., see S. Ito 72 (1994) 300
- Kramer, S., M. Spears and H.L. Tuller, Conduction in titanate pyrochlores: role of dopants 72 (1994) 59
- Krist, K., see Y. Shen 72 (1994) 209
- Kruidhof, H., see H.J.M. Bouwmeester 72 (1994) 185
- Kudo, T., see J. Oi 72 (1994) 204
- Kuk, I.-H., see S.-J. Kim 72 (1994) 279
- Lachkar, M., see G. Bonnet 72 (1994) 344
- Lachowski, E.E., see I.R. Gibson 72 (1994) 265
- Lade, K. and T. Jacobsen, Determination of kinetic and transport parameters for oxygen in mixed conductors by an ac method 72 (1994) 218
- Larpin, J.P., see G. Bonnet 72 (1994) 344
- Latham, R.J., see M.D. Glasse 72 (1994) 127
- Lauvstad, G., see F.W. Poulsen 72 (1994) 47
- Li, D., C.P. Hu and S.K. Ying, Structure and ionic conductivity of graft polymer network electrolytes containing some star-like side chains and LiClO_4 72 (1994) 172
- Linford, R.G., see M.D. Glasse 72 (1994) 127
- Liu, M., see Y. Shen 72 (1994) 209

- Lohrengel, M.M., see S. Rübe 72 (1994) 29
- Maeda, H., see K. Koto 72 (1994) 79
- Magistris, A., see P. Ferloni 72 (1994) 135
- Maier, J., see T. Bieger 72 (1994) 41
- Marchese, L., see M. Andrei 72 (1994) 140
- Martin, M. and R. Schmackpfeffer, Demixing of doped oxides: influence of defect interactions 72 (1994) 67
- Martin, M., see A. Hoser 72 (1994) 72
- Mastragostino, M., see C. Arbizzani 72 (1994) 115
- Matsumoto, Y., see N. Inoue 72 (1994) 285
- Mellander, B.-E., see I. Albinsson 72 (1994) 177
- Meneghello, L., see C. Arbizzani 72 (1994) 115
- Mentre, O., F. Abraham, B. Deffontaines and P. Vast, Structural study and conductivity properties of $\text{Ca}_{1-x}\text{Na}_x\text{Ti}_4(\text{PO}_4)_6$ solid solution 72 (1994) 293
- Merino, R.I., see V.M. Orera 72 (1994) 224
- Metcalfe, I.S., see R.T. Baker 72 (1994) 328
- Meyer, A., see J. ten Eicken 72 (1994) 7
- Middleton, P.H., see R.T. Baker 72 (1994) 328
- Mizutani, Y., M. Tamura, M. Kawai and O. Yamamoto, Development of high-performance electrolyte in SOFC 72 (1994) 271
- Mori, M., see Y. Takeda 72 (1994) 257
- Mori, N., see Y. Takeda 72 (1994) 257
- Murin, I.V., see J. ten Eicken 72 (1994) 7
- Mustarelli, P., see P. Ferloni 72 (1994) 135
- Nakamura, Y., see N. Inoue 72 (1994) 285
- Nariki, S., see S. Ito 72 (1994) 300
- Nicoloso, N., see T. Bieger 72 (1994) 41
- Nisancioglu, K. and T.M. Gür, Potentiostatic step technique to study ionic transport in mixed conductors 72 (1994) 199
- Ogawa, Y., see N. Inoue 72 (1994) 285
- Oh, S.-J., see S.-J. Kim 72 (1994) 279
- Oi, J., A. Kishimoto and T. Kudo, Hexagonal and pyrochlore-type cesium tungstates synthesized from cesium peroxo-polytungstate and their intercalation chemistry 72 (1994) 204
- Orera, V.M., R.I. Merino and F. Peña, $\text{Ce}^{3+} \leftrightarrow \text{Ce}^{4+}$ conversion in ceria-doped zirconia single crystals induced by oxido-reduction treatments 72 (1994) 224
- Orliukas, A., P. Bohac, K. Sasaki and L.J. Gauckler, The relaxation dispersion of the ionic conductivity in cubic zirconias 72 (1994) 35
- Otoshi, S., see H. Sasaki 72 (1994) 253
- Pagnier, T., see B. Gharbage 72 (1994) 248
- Peña, F., see V.M. Orera 72 (1994) 224
- Petersen, G., A. Brodin, L.M. Torell and M. Smith, Light scattering and luminescence studies of $\text{M}(\text{CF}_3\text{SO}_3)_x$ -polyether complexes containing trivalent cations 72 (1994) 165
- Pham, A.-Q., M. Puri, J.F. DiCarlo and A.J. Jacobson, Oxide ion conductivity of the new Aurivillius phase $(\text{Bi}_2\text{O}_2)(\text{NaNb}_2\text{O}_{6.5})$ 72 (1994) 309

- Poulsen, F.W., G. Lauvstad and R. Tunold, Conductivity and Seebeck measurements on strontium ferrates 72 (1994) 47
- Prosperi, P., see M. Andrei 72 (1994) 140
- Prusinowska, D., W. Wiecek, H. Wycislik, M. Siekierski, J. Przyluski and J. Soltysiak, Conductivity and structural studies of PEO-NH₄SCN electrolytes 72 (1994) 152
- Przyluski, J., see D. Prusinowska 72 (1994) 152
- Puri, M., see A.-Q. Pham 72 (1994) 309
- Pyka, N., see A. Hoser 72 (1994) 72
- Ranieri, G., see A.V. Chadwick 72 (1994) 147
- Rao, N., T.P. Andersen and P. Ge, Tin mordenite membranes for direct methanol fuel cells 72 (1994) 334
- Rekas, M., see A. Bernasik 72 (1994) 12
- Rekas, M., see M. Sloma 72 (1994) 89
- Riess, I., R. Safadi and H.L. Tuller, Problems with Hebb-Wagner polarization measurements due to overpotentials and decomposition of the sample 72 (1994) 3
- Roggero, A., see M. Andrei 72 (1994) 140
- Roux, C. and J.-Y. Sanchez, Ionic conductivities of PPO-LiTFSI complexes 72 (1994) 160
- Rübe, S., M.M. Lohrengel and J.W. Schultze, Ion migration and dielectric effects in aluminum oxide films 72 (1994) 29
- Safadi, R., see I. Riess 72 (1994) 3
- Sakaki, Y., see Y. Takeda 72 (1994) 257
- Sakuma, T., F. Suzuki and S. Hoshino, Diffuse scattering of β -Ag₃SI by neutron powder diffraction 72 (1994) 94
- Sanchez, J.-Y., see C. Roux 72 (1994) 160
- Saraswat, A.K., see P. Ferloni 72 (1994) 135
- Sasaki, H., S. Otsoshi, M. Suzuki, T. Sogi, A. Kajimura, N. Sugiura and M. Ippommatsu, Fabrication of high power density tubular type solid oxide fuel cells 72 (1994) 253
- Sasaki, K., see A. Orliukas 72 (1994) 35
- Sato, H. and A. Datta, Frequency dependence of ionic conductivity in lattice gas models 72 (1994) 19
- Schlindwein, W.S., see M.D. Glasse 72 (1994) 127
- Schmackpfeffer, R., see M. Martin 72 (1994) 67
- Schoonman, J., see X.J. Huang 72 (1994) 338
- Schultze, J.W., see S. Rübe 72 (1994) 29
- Schütt, H.J., A new phenomenological description of the electrical relaxation in ionic conductors 72 (1994) 86
- Schweika, W., see A. Hoser 72 (1994) 72
- Secco, E.A., see P. Huang 72 (1994) 289
- Senadeera, G.K.R., see S. Skaarup 72 (1994) 108
- Shen, Y., A. Joshi, M. Liu and K. Krist, Structure, microstructure and transport properties of mixed ionic-electronic conductors based on bismuth oxide Part I. Bi-Y-Cu-O system 72 (1994) 209
- Siekierski, M., see D. Prusinowska 72 (1994) 152
- Skaarup, S., K. West, B. Zachau-Christiansen, M.A. Careem and G.K.R. Senadeera, Electrolyte and ion memory effects in highly conjugated polypyrrole 72 (1994) 108
- Sloma, M., see A. Bernasik 72 (1994) 12
- Sloma, M., W. Weppner and M. Rekas, Thermoelectric power of tetragonal ZrO₂ 72 (1994) 89
- Smith, M., see G. Petersen 72 (1994) 165

- Sogi, T., see H. Sasaki 72 (1994) 253
 Soltysiak, J., see D. Prusinowska 72 (1994) 152
 Spears, M., see S. Kramer 72 (1994) 59
 Steele, B.C.H., see R.T. Baker 72 (1994) 328
 Stevens, J.R., see I. Albinsson 72 (1994) 177
 Suda, K., see K. Koto 72 (1994) 79
 Sugiura, N., see H. Sasaki 72 (1994) 253
 Suzuki, F., see T. Sakuma 72 (1994) 94
 Suzuki, M., see H. Sasaki 72 (1994) 253

 Tagami, M., see N. Inoue 72 (1994) 285
 Takeda, Y., Y. Sakaki, T. Ichikawa, N. Imanishi, O. Yamamoto, M. Mori, N. Mori and T. Abe, Stability of $\text{La}_{1-x}\text{A}_x\text{MnO}_{3-z}$ ($\text{A}=\text{Ca}, \text{Sr}$) as cathode materials for solid oxide fuel cells 72 (1994) 257
 Tamura, M., see Y. Mizutani 72 (1994) 271
 Teeters, D. and C.M. Hill, Comparative study of the mixed-alkali effect in poly(ethylene oxide) and poly(propylene oxide)-thiocyanate salt systems 72 (1994) 122
 ten Eicken, J., W. Gunsser, M. Karus, A. Meyer and I.V. Murin, On the structure and dynamics of heterovalently doped $\beta\text{-PbF}_2$ 72 (1994) 7
 Terenzi, M., see A.V. Chadwick 72 (1994) 147
 Torell, L.M., see G. Petersen 72 (1994) 165
 Tuller, H.L., see I. Riess 72 (1994) 3
 Tuller, H.L., see S. Kramer 72 (1994) 59
 Tunold, R., see F.W. Poulsen 72 (1994) 47

 Uchida, T., see S. Ito 72 (1994) 300

 Van Berkel, F.P.F., F.H. van Heuveln and J.P.P. Huijsmans, Characterization of solid oxide fuel cell electrodes by impedance spectroscopy and I - V characteristics 72 (1994) 240
 Van Heuveln, F.H., see F.P.F. van Berkel 72 (1994) 240
 Vast, P., see O. Mentre 72 (1994) 293
 Vayenas, C.G., S. Bebelis, I.V. Yentekakis, Ch. Karavasilis and J. Yi, Non-Faradaic electrochemical modification of catalytic activity: solid electrolytes as active catalyst supports 72 (1994) 321

 Waser, R., see T. Bieger 72 (1994) 41
 Weppner, W., see A. Bernasik 72 (1994) 12
 Weppner, W., see M. Sloma 72 (1994) 89
 West, K., see S. Skaarup 72 (1994) 108
 Wieczorek, W., see D. Prusinowska 72 (1994) 152
 Witschel, W., see L. Hoffart 72 (1994) 195
 Wycislik, H., see D. Prusinowska 72 (1994) 152

 Yamamoto, O., see Y. Takeda 72 (1994) 257
 Yamamoto, O., see Y. Mizutani 72 (1994) 271
 Yentekakis, I.V., see C.G. Vayenas 72 (1994) 321
 Yi, J., see C.G. Vayenas 72 (1994) 321
 Ying, S.K., see D. Li 72 (1994) 172

- | | |
|---|---------------|
| Yoneda, N., see S. Ito | 72 (1994) 300 |
| Yugami, H., see T. Bieger | 72 (1994) 41 |
| Zachau-Christiansen, B., see S. Skaarup | 72 (1994) 108 |
| Zanelli, A., see C. Arbizzani | 72 (1994) 115 |

Subject Index

- Activation energy, 29, 35
Aliovalent substitution, 293
Ammonium salt complex, 152
Anode, 235, 328
Anodic aluminum oxide, 29
Aurivillius phase, 309
- β' -alumina, 305
 β -alumina, 300
 β -ferrite, 300
Bismuth copper oxide, 209
Bismuthsesquioxide, 79
Boundary effect, 279
- Catalysis, 328
 electrochemical activation, 321
Catalyst, 54
Cathode, 248
Cerium (3+), 224
Cesium, 300
Cesium tungstate, 204
Cesium tungsten bronze
 hexagonal, 204
 pyrochlore, 204
Chemical diffusion, 41, 199
Composite, 209
Composite electrolyte, 314
Computer simulation, 54
Conductivity, 47
Conformation, 103
Conjugation, 108
Crystallisation kinetics, 127
Current transients, 29
- Decomposition, 3
Defects, 54
Defect structure, 59, 72
Demixing, 67
Depth profiles, 12
Dielectric relaxation, 29, 35
Diffuse neutron scattering, 72
Diffuse scattering, 94
Diffusion, 224
Diffusion coefficient, 218
Diffusion impedance, 218
Direct methanol fuel cells (DMFC), 334
Dispersed phase, 314
Dopant effects, 59
- Electrical impedance, 285
Electrical properties, 279
Electrical relaxation, 86
Electrochemical vapor deposition, 253
Electrolyte polymer, 160
Electronic conductivity, 3
Entropy transport of oxygen ion motion, 89
EPR, 7
EXAFS, 79, 147
- Four-probe technique, 305
Fuel cell, 248, 328
- Glass, 289
Graft copolymer, 172
Grain boundary
 diffusion, 285
- Hebb-Wagner polarization measurement, 3
High field growth, 29
High temperature electrode, 235
High temperature oxidation, 344
Hopping conduction, 285
Hybrid polymer electrolyte, 115
- Impedance measurements, 305
Impedance spectroscopy, 29, 35, 115
Impurity-vacancy binding, 67
Intercalation, 204
Ion association, 177
Ion-chromium alloys, 344
Ion diffusion, 54
Ion exchange, 305
Ionic association, 103
Ionic conductivity, 35, 86, 135, 140, 152, 160, 285, 293
 frequency dependence, 19
 oxide, 309
 proton, 334
 silver, 314
 sodium, 289
Ionic interaction, 165
Ionic mobility, 108, 314
Ion spillover
 NEMCA, 321
Iron-doped titania, 12
Irreversible statistical mechanics
 path probability method, 19
- Kohlrausch-Williams-Watts relaxation behavior, 19

- Lanthanum chromite, 253
- Laser ablation, 253
- Lead perchlorate, 135
- Linear response theory, 86
- Lithium/polymer electrolyte interface stability, 115
- Lithium perchlorate, 140, 172
- Luminescence, 165
- Macromer, 172
- Manganite, 248
- Mechanism, 328
- Membrane technology, 334
- Memory effect, 108
- Methane, 328
- Microstructural design, 279
- Mixed alkali effect, 122, 300
- Mixed conductor, 185, 199, 209, 218
- Mixed ionic-electronic conductor, 3, 59, 195
- Mobility of oxygen vacancies, 35
- $\text{Na}_2\text{MoO}_4\text{-UO}_2\text{SO}_4$ system, 289
- NASICON-type compound, 293
- Neutron diffraction, 94
- Non-Debye relaxation process, 19
- Nonstoichiometry, 47, 218
- n-p transition, 12
- Onsager coefficients, 67
- Optical relaxation, 41
- Oxidation, 328
- Oxygen permeability, 185
- Oxygen potential gradient, 67
- Oxygen reduction, 248
- Oxygen transport, 199
- Permittivity, 177
- Perovskite, 199, 328
- Perovskite electrode, 257
- Peroxo-polytungstate, 204
- Phase development, 265
- Plasma-derived powders, 265
- Poly (ethylene oxide) oligomer, 103
- Poly (ethylene oxide) (PEO), 122, 127, 135, 172
- Polymer electrolyte, 127, 135, 140, 147, 172, 177
- Poly (oxypropylene) (POP), 160
- Poly (propylene oxide) (PPO), 122, 160
- Polypyrrole, 108
- Porous electrode, 240
- Potassium, 300
- Potentiostatic step method, 199
- PPO-AGE copolymer, 160
- Protonically conductive system, 152
- Protonic conductor, 334
- Pyrochlores, 59
- Radiotracer diffusion, 147
- Raman scattering, 165
- Raman spectroscopy, 103
- Reactive elements coating, 344
- Reduced titanate, 235
- Relaxation, 122, 177
- Salt complex, 103
- Scheelite materials, 195
- Seebeck effect, 89
- Segregation, 12
- Sensor, 338
- Silver ion conductor, 314
- Silylated-polyvinylether (PVE), 140
- SIMS measurements, 12
- Sintering, 265
- Solid electrolyte, 59, 271
 - catalyst support, 321
- Solid oxide fuel cell (SOFC), 235, 240, 253, 257, 265, 271
- Solid polymeric electrolyte, 152
- Solid solutions, 7
- Spherulites, 127
- Spillover
 - solid electrolyte, 321
- Spinel, 235
- Strontium ferrate, 47
- Structural change, 293
- Superconductor, 338
- Surface oxygen exchange, 185
- Thermal vibration, 94
- Thermoelectric power, 47, 89
- Three-phase boundaries, 240
- Tin mordenite, 334
- Trapping effects, 41
- Trivalent salt-polyether complexes, 165
- Ultrasonic velocity, 285
- Universal dynamic response, 19
- Work function measurements, 12
- X-ray powder structure, 293
- Yttria-stabilized zirconia, 253, 265
- Zirconia, 89, 224
 - NEMCA effect, 321
 - stabilized, 35

